

Apply the script (Modify the compdef for all Garns, and Child Supp Links where it applies. (Or add manually in company maintenance).

CompDefs:

Income		Taxes	Deductions		Net Pay		Notes											
Category Id		Description	Line	Subt	Wk1	Wk2	Wk3	Wk4	Wk5	Wk6	Wk7	Wk8	Wk9	Chk Grp	Seq	Label	Auto	A
[-] CHILDSUPP1		Child Support #1	5	☐	☒	☒	☒	☒	☒	☒	☒	☐	☒	DED	5	Child Supp.	☐	
	Definition	Description	Sec	Type	Grp	Char	Pr1	Pr2 (	Pr3 (	Pr4 (	Exem	Comp	Formula Id	Debit G/L Ac				
	[+] CHILDSUPP1	Child Support #1	1	Deduction		☐	☒	☒	☒	☒		☐	CHILD_SUPP					
	[+] CS1GF	cs1 garn fee	2	Working	GF	☐	☒	☒	☒	☒		☐	CALCGRNFEE					

Setup G/L Account for Garnishment Fee Under GarnFEE

Step 6/7: Review and Print

Income	Taxes	Deductions	Net Pay	Notes
		</		

EmpDefs:

Setup the fee for each Garnishment for each Employee:

History										Pay Info		Misc Info		Time Clock Xref		Events		Income		Taxes		Deductions		Net Pay		Notes	
Category Id				Description								Subtotal		Active													
[-] CHILDSUPP1				Child Support #1								☐		☒													
Definition				Description								Debit G/L Acct				Credit G/L Acct											
[-] CS1GF				cs1 garn fee																							
Factor				Description								Value															
▶ AMOUNT				Garn Fee Amount																							

GARNFEE: Will be automatically created – no changes required at employee level:.

History Pay Info Misc Info Time Clock Xref Events Income Taxes Deductions Net Pay Notes																	
Category Id	Description	Subtotal	Active														
GARNFEE	Garnishment Fee	☐	☒														
Definition	Description	Debit G/L Acct	Credit G/L Acct														
GARNFEE	Garnishment Fee																

Garn Fee should then just show up as another deduction on the pay check.

```
/*
127.0.0.1:e:\ccgh\data\ccw010.ib
where FORMULA_ID IN ('GARNFEE','CALCGRNFEE')
*/
```

```
INSERT INTO PRTFORMULA (
FORMULA_ID, DESCRIPTION, CUSTOM_FLAG, FORMULA_TYPE, ACTIVE_FLAG,
LAST_CHANGE_DATETIME, LAST_CHANGE_USER ) VALUES (
'CALCGRNFEE', 'Calculate Garnishment Fee', 'Y', 'W', 'Y', CAST('now' as timestamp), 'HIT' );
```

```
INSERT INTO PRTFORMULA (
FORMULA_ID, DESCRIPTION, CUSTOM_FLAG, FORMULA_TYPE, ACTIVE_FLAG,
LAST_CHANGE_DATETIME, LAST_CHANGE_USER ) VALUES (
'GARNFEE', 'Garnishment Fee', 'Y', 'D', 'Y', CAST('now' as timestamp), 'HIT' );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'CALCGRNFEE', '1', '26', '"_DED"', NULL, NULL, NULL, ':Std Deduction Calculaton' );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'CALCGRNFEE', '2', '6', 'defvar.GARNAMT', NULL, NULL, NULL, NULL );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'CALCGRNFEE', '3', '8', 'defvar.GARNAMT', 'link.D.cur', NULL, NULL, NULL );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'CALCGRNFEE', '4', '15', 'defvar.GARNAMT', '<', '#1', NULL, NULL );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'CALCGRNFEE', '5', '8', 'self.cur', '#0', NULL, NULL, NULL );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'CALCGRNFEE', '6', '17', NULL, NULL, NULL, NULL, NULL );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'CALCGRNFEE', '7', '13', NULL, NULL, NULL, NULL, 'Garn Calc [DEF_ID] of [self.cur]' );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
```

```
'GARNFEE', '1', '6', 'self.cur', NULL, NULL, NULL, NULL );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'GARNFEE', '2', '6', 'defvar.garnfee', NULL, NULL, NULL, NULL );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'GARNFEE', '3', '23', 'defvar.garnfee', "'W'", "'DEF_GROUP=GF'", NULL, NULL );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'GARNFEE', '4', '8', 'self.cur', 'defvar.garnfee', NULL, NULL, NULL );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'GARNFEE', '5', '26', "'@WARN>NET'", NULL, NULL, NULL, NULL );
```

```
INSERT INTO prtpop (
FORMULA_ID, SEQUENCE, OPERATION, PARAM_1, PARAM_2, PARAM_3, CONTROL_FLAG, COMMENT )
VALUES (
'GARNFEE', '6', '13', NULL, NULL, NULL, NULL, 'Garn Fee Test [DEF_ID] of [self.cur]' );
```

```
/* prtformfact */
INSERT INTO PRTFORMFACT (
FORMULA_ID, FACTOR_ID, DESCRIPTION, VALUE_TYPE, TYPE_FLAG, LAST_CHANGE_DATETIME,
LAST_CHANGE_USER ) VALUES (
'CALCGRNFEE', 'AMOUNT', 'Garn Fee Amount', NULL, 'E', CAST('now' as timestamp), 'HIT' );
```

```
/* Add Link */
INSERT INTO PRTLINKS (
LINK_ID, DESCRIPTION, LINK_TYPE, SUBTOTAL, AUTO_ADD, LINE_NO, CALC_GROUP, LINK_TAG,
TAX_CODE, RATE_FACTOR, CHECK_GROUP, CHECK_GROUP_SEQ, CHECK_LABEL, W2_GROUP,
W2_GROUP_SEQ, W2_LABEL, DED_WEEK_1, DED_WEEK_2, DED_WEEK_3, DED_WEEK_4, DED_WEEK_5,
DED_WEEK_6, DED_WEEK_7, DED_WEEK_8, DED_WEEK_9, JOB_TRX_TYPE, LAST_CHANGE_DATETIME,
LAST_CHANGE_USER ) VALUES (
'GARNFEE', 'Carnishment Fee', 'D', '0', 'Y', '95', '300', NULL, NULL, NULL, 'DED', '95', 'GarnFee', NULL,
NULL, NULL, 'Y', 'Y', 'Y', 'Y', 'Y', 'Y', 'Y', 'Y', 'Y', 'Y', NULL, CAST('now' as timestamp), 'HIT' );
```

```
/* Add CompDef */
INSERT INTO prtcompdef (
```

```
DEF_ID, DESCRIPTION, DEF_TYPE, DEF_GROUP, COMPANY_PAID, OVERRIDE_FLAG, LINK_ID,  
LINK_SEQUENCE, FORMULA_ID, DB_GL_ACCOUNT, CR_GL_ACCOUNT, GL_MASK, CHANGE_SIGN,  
PRINT_FLAG_1, PRINT_FLAG_2, PRINT_FLAG_3, PRINT_FLAG_4, PRINT_FLAG_5, PRINT_FLAG_6,  
PRINT_FLAG_7, PRINT_FLAG_8, PRINT_FLAG_9, ACTIVE_FLAG, LAST_CHANGE_DATETIME,  
LAST_CHANGE_USER ) VALUES (  
'CS1GF', 'cs1 garn fee', 'W', 'GF', 'N', 'Y', 'CHILDSUPP1', '2', 'CALCGRNFEE', NULL, NULL, NULL, 'N', 'Y', 'Y',  
'Y', 'Y', 'Y', 'Y', 'Y', 'Y', 'Y', 'Y', CAST('now' as timestamp), 'HIT' );
```

```
INSERT INTO prtcompdef (  
DEF_ID, DESCRIPTION, DEF_TYPE, DEF_GROUP, COMPANY_PAID, OVERRIDE_FLAG, LINK_ID,  
LINK_SEQUENCE, FORMULA_ID, DB_GL_ACCOUNT, CR_GL_ACCOUNT, GL_MASK, CHANGE_SIGN,  
PRINT_FLAG_1, PRINT_FLAG_2, PRINT_FLAG_3, PRINT_FLAG_4, PRINT_FLAG_5, PRINT_FLAG_6,  
PRINT_FLAG_7, PRINT_FLAG_8, PRINT_FLAG_9, ACTIVE_FLAG, LAST_CHANGE_DATETIME,  
LAST_CHANGE_USER ) VALUES (  
'GRN1GF', 'grn1 garn fee', 'W', 'GF', 'N', 'Y', 'GARN1', '2', 'CALCGRNFEE', NULL, NULL, NULL, 'N', 'Y', 'Y', 'Y',  
'Y', 'Y', 'Y', 'Y', 'Y', 'Y', 'Y', 'Y', CAST('now' as timestamp), 'HIT' );
```

```
INSERT INTO prtcompdef (  
DEF_ID, DESCRIPTION, DEF_TYPE, DEF_GROUP, COMPANY_PAID, OVERRIDE_FLAG, LINK_ID,  
LINK_SEQUENCE, FORMULA_ID, DB_GL_ACCOUNT, CR_GL_ACCOUNT, GL_MASK, CHANGE_SIGN,  
PRINT_FLAG_1, PRINT_FLAG_2, PRINT_FLAG_3, PRINT_FLAG_4, PRINT_FLAG_5, PRINT_FLAG_6,  
PRINT_FLAG_7, PRINT_FLAG_8, PRINT_FLAG_9, ACTIVE_FLAG, LAST_CHANGE_DATETIME,  
LAST_CHANGE_USER ) VALUES (  
'GARNFEE', 'Garnishment Fee', 'D', NULL, 'N', 'Y', 'GARNFEE', '1', 'GARNFEE', NULL, null, NULL, 'N', 'Y', 'Y',  
'Y', 'Y', 'Y', 'Y', 'Y', 'Y', 'Y', 'Y', CAST('now' as timestamp), 'HIT' );
```
